according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 1 of 8

Cobalt Chloride, Lab Grade

SECTION 1: Identification of the substance/mixture and of the supplier

Product name : Cobalt Chloride, Lab Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25257

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Acute toxicity (oral, dermal, inhalation), category 4 Skin sensitization, category 1 Respiratory sensitization, category 1



Health hazard

Germ cell mutagenicity, category 2 Carcinogenicity, category 1B Reproductive toxicity, category 1B



Environmentally Damaging

Acute hazards to the aquatic environment, category 1 Chronic hazards to the aquatic environment, category 1

Acute Tox. 4 H302

Hazards Not Otherwise Classified - Combustible Dust

Skin Sens. 1 H317 Resp. Sens. 1 H334 Muta. 2 H341 Carc. 1B H350 Repr. 1B H360

Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Signal word :Danger

Hazard statements:

Harmful if swallowed May cause an allergic skin reaction May cause allergy or asthma symptoms or breathing difficulties if inhaled Suspected of causing genetic defects Effective date: 12.28.2014 Page 2 of 8

Cobalt Chloride, Lab Grade

May cause cancer

May damage fertility or the unborn child

Very toxic to aquatic life with long lasting effects

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash ... thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

Use personal protective equipment as required

Specific treatment (see supplemental first aid instructions on this label)

Rinse mouth

Collect spillage

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

IF ON SKIN: Wash with soap and water

If skin irritation or a rash occurs: Get medical advice/attention

Store in a dry place Store locked up

Dispose of contents/container to ...

Combustible Dust Hazard::

May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS





NFPA/HMIS





HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

Ingredients:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 3 of 8

Cobalt Chloride, Lab Grade

CAS 7791-13-1	Cobalt dichloride hexahydrate	100 %
	Perce	entages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen. DO NOT use mouth-to-mouth resuscitation.

After skin contact: Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 4 of 8

Cobalt Chloride, Lab Grade

accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter)

Reference to other sections:

SECTION 7: Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Store with like hazards

SECTION 8 : Exposure controls/personal protection





Control Parameters: 7791-13-1, Cobalt (II) chloride hexahydrate, ACGIH TLV: 0.02 mg/m3,

OSHA PEL: NA

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling.Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into

the work area (i.e., there is no leakage from the equipment).

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 5 of 8

Cobalt Chloride, Lab Grade

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Pink to red crystals	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odorless	Vapor pressure:	Not Determined
Not Determined	Vapor density:	Not Determined
4.6 (0.2M solution)	Relative density:	1.924
87°C (189°F)	Solubilities:	76.7g/ 100mL (0°C)
1049°C (1920°F)	Partition coefficient (noctanol/water):	Not Determined
Not Determined	Auto/Self-ignition temperature:	Not Determined
Not Determined	Decomposition temperature:	110°C (230°F)
Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined
	Odorless Not Determined 4.6 (0.2M solution) 87°C (189°F) 1049°C (1920°F) Not Determined Not Determined	Odorless Vapor pressure: Not Determined Vapor density: 4.6 (0.2M solution) Relative density: 87°C (189°F) Solubilities: 1049°C (1920°F) Partition coefficient (noctanol/water): Not Determined Auto/Self-ignition temperature: Not Determined Decomposition temperature:

Density: Not Determined **Molecular Weight::**237.95

SECTION 10: Stability and reactivity

Reactivity: Nonreactive under normal conditions.

Chemical stability: No decomposition if used and stored according to specifications.

Possible hazardous reactions:Nonreactive under normal conditions.

Conditions to avoid:Store away from oxidizing agents, strong acids or bases.moisture. Dust generation, moisture, excess heat.

Incompatible materials:Strong acids.Strong bases. potassium and metal halides.sodium dispersions. t-butyl hydroperoxide. strong mineral acids.

Hazardous decomposition products:Carbon oxides (CO, CO2).Heating to decomposition may lead to the release of toxic fumes of Chlorides and Cobalt Oxides.

SECTION 11: Toxicological information

Acute Toxicity:				
Oral:	766 mg/kg	LD50 Rat		
Dermal:	>2,000 mg/kg	LD50 Rat		
Chronic Toxicity: No additional information.				

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 6 of 8

Cobalt Chloride, Lab Grade

Corrosion Irritation: No additional information.			
Sensitization:	No additional information.		
Single Target Organ (STOT):	No additional information.		
Numerical Measures:	No additional information.		
Carcinogenicity:	IARC: 2B - Group 2B: Possibly carcinogenic to humans (Cobalt dichloride hexahydrate)		
Mutagenicity:	In vitro tests showed mutagenic effects.Mouse - mammary gland - Mutation in mammalian somatic cells.		
Reproductive Toxicity:	Presumed human reproductive toxicant		

SECTION 12: Ecological information

Ecotoxicity

Fish: LC50 - Cyprinus carpio (Carp) - 0.33 mg/l - 96.0 h

Invertebrates: EC50 - Daphnia magna (Water flea) - 1.1 - 1.6 mg/l - 48 h Algae: EC50 - Chlorella vulgaris (Fresh water algae) - 0.5 mg/l - 96 h

Persistence and degradability: Readily degradable in the environment.

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

UN-Number

UN proper shipping name

Transport hazard class(es)

Packing group:

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 7 of 8

Cobalt Chloride, Lab Grade

SARA Section 313 (Specific toxic chemical listings):

7791-13-1 Cobalt(II) Chloride Hexahydrate

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

7791-13-1 Cobalt(II) Chloride Hexahydrate

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

7791-13-1 Cobalt(II) Chloride Hexahydrate

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note:. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.28.2014 Page 8 of 8

Cobalt Chloride, Lab Grade

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date: 12.28.2014 Last updated: 03.19.2015