according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 1 of 8

Sulfuric Acid, ACS

SECTION 1: Identification of the substance/mixture and of the supplier

Product name : Sulfuric Acid, ACS

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: \$25894

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Corrosive

Skin corrosion, category 1A Serious eye damage, category 1 Corrosive to metals, category 1

Acute hazards to the aquatic environment, category 3

Skin Corrosion 1A Corrosive to metals. 1 Eye corrosion 1 Acute aquatic toxicity 3

Signal word : Danger

Hazard statements:

May be corrosive to metals Causes severe skin burns and eye damage Causes serious eye damage

Harmful to aquatic life

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wear protective gloves/protective clothing/eye protection/face protection

Wash ... thoroughly after handling

Do not breathe dust/fume/gas/mist/vapours/spray

Keep only in original container

Avoid release to the environment

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 2 of 8

Sulfuric Acid, ACS

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

Absorb spillage to prevent material damage

Store locked up

Store in a corrosive resistant/... container with a resistant inner liner

Dispose of contents/container to ...

Other Non-GHS Classification:

WHMIS





NFPA/HMIS





HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 7664-93-9	Sulfuric Acid	>98 %
		Percentages are by weight

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Provide oxygen if breathing is difficult. Seek immediate medical advice.

After skin contact: Rinse thoroughly. Rinse/flush exposed area gently using water for at least 30 minutes. Seek immediate medical attention.Remove contaminated clothing and discard. Neutralize the soaking solution with sodium hydroxide solution.

After eye contact: Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse/flush exposed eye(s) gently using water for at least 30 minutes. Seek immediate medical attention. Rinse under the eyelids during flushing.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Do not induce vomiting. Seek immediate medical attention.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 3 of 8

Sulfuric Acid, ACS

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath. Burning of eyes or skin. Coughing; Strong inorganic acid mists containing sulfuric acid can cause cancer. Lung damage, chronic bronchitis. Damage to teeth and stomach

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Use of soap may assist with neutralization on exposed skin in conjunction with flushing

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use dry Chemical, foam, or carbon dioxide to extinguish fire.

For safety reasons unsuitable extinguishing agents: Do not use water directly on sulfuric acid Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Poisonous sulfur oxides are combustion products. Aerosols or mist may be produced in a fire. Sulfuric acid may ignite combustibles

Advice for firefighters:

Protective equipment: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment for fire and chemical resistance

Additional information (precautions): Containers may explode

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Neutralize with lime or soda ash. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Always obey local regulations. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Do not use water. Neutralize with lime or soda ash. Add water to slurry. Decant water to drain with excess water. Dispose of remaining solid as normal refuse.

Reference to other sections:

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Do not mix with bases. Wash hands after handling. Avoid contact with skin and eyes. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wear protective clothing and equipment. Do not handle with incompatibles (see Section 10). Avoid inhalation of vapour or mist.

Conditions for safe storage, including any incompatibilities:

Protect from freezing. Keep container tightly closed. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Do not store near incompatible materials (see Section 10). Store away from reducing agents.

Effective date: 12.05.2014 Page 4 of 8

Sulfuric Acid, ACS

SECTION 8: Exposure controls/personal protection











Control Parameters: 7664-93-9, Sulfuric Acid, OSHA PEL: 1mg/m3 7664-93-9, Sulfuric Acid, ACGIH TLV: 0.2 mg/m3

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling.Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.Use under a fume hood. Ensure

eyewash and safety showers are available.

Respiratory protection: Use suitable respiratory protective device when high concentrations are

present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Use under a

fume hood. Respirator with acid gas cartridges

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Wear protective equipment to prevent contact with skin,

eyes, or hair

Eye protection: Safety glasses with side shields or goggles. Face shield

General hygienic measures: Wash hands before breaks and at the end of work. Avoid contact with the

eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state,color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure:	<0.00120 mmHg
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	<0.03	Relative density:	Not determined
Melting/Freezing point:	11C	Solubilities:	Soluble in water
Boiling point/Boiling range:	105-325C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	>1	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	Not combustible but an oxidizer	Viscosity:	a. Kinematic:Not determined b. Dynamic: Not determined

Density: Not determined **Specific Gravity:**1.84

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 5 of 8

Sulfuric Acid, ACS

SECTION 10: Stability and reactivity

Reactivity:Reacts violently with water with evolution of heat. Corrosive to metals.

Chemical stability:No decomposition if used and stored according to specifications.

Possible hazardous reactions:Reacts violently or explosively with incompatibles. Reacts with most metals to produce hydrogen gas, which may form explosive mixtures with air

Conditions to avoid:Store away from incompatible substances. excess heat.Incompatible Materials.

Incompatible materials:Organics. Metals. Strong acids.Strong bases.Alcohols. Chlorine. halogenated compounds . Combustible materials. water.Amines.Chlorates. Alkalines. Carbides. Fulminates. Reducing agents. Nitrates. Acetic acid. Oxidizing agents

Hazardous decomposition products: Oxides of sulfur. Carcinogenic mists/aerosols. Oxygen

SECTION 11: Toxicological information

Acute Toxicity	:		
Oral:	7664-93-9	LD50 Rat: 2140 mg/kg	
Inhalation:	7664-93-9	LD50 Rat: 510 mg/m3 - 2h	
Chronic Toxicit	ty:		
Inhalation:		Repeated exposure may cause bronchitis to develop with coughing, phlegm, and/or shortness of breath	
Oral:		Repeated exposure can cause damage to teeth and upset stomach	
Corrosion Irrit	ation:		
Dermal:	7664-93-9	Rabbit - Extremely corrosive and destructive to tissue.	
Ocular:	7664-93-9	Rabbit - Corrosive to eyes.	
Sensitization:		No additional information.	
Single Target Organ (STOT):		No additional information.	
Numerical Measures:		No additional information.	
Carcinogenicity:		Strong inorganic acid mists containing sulfuric acid: IARC Group 1	
Mutagenicity:		No additional information.	
Reproductive Toxicity:		No additional information.	

SECTION 12: Ecological information

Ecotoxicity

7664-93-9: EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

7664-93-9: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h

Persistence and degradability: Not applicable for test method.

Bioaccumulative potential: Not Bioaccumulative.

Mobility in soil: Aqueous solution has high mobility in soil.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 6 of 8

Sulfuric Acid, ACS

Other adverse effects: Concentrated sulfuric acid has moderate acute and chronic toxicity to aquatic life, which is driven by the pH of the aquatic environment, as a result of the presence of the acid. Small quantities will be neutralized by natural alkalinity.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

UN-Number

1830

UN proper shipping name

Sulfuric Acid Solution

Transport hazard class(es)



8 Corrosive substances

Packing group: II

Environmental hazard:

Transport in bulk:

Name: 49CFR173.242 **Ship type**: Not Applicable Pollution category: Y

Special precautions for user: N34: Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.A3: For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings.A3. A7. B3. B83. B84. IB2. N34. T8. TP2

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 sulfuric acid 1000 lb

Proposition 65 (California):

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014 Page 7 of 8

Sulfuric Acid, ACS

Chemicals known to cause cancer:

7664-93-9 sulfuric acid

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

7664-93-9 Sulfuric acid

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date: 12.05.2014

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 12.05.2014Page 8 of 8

Sulfuric Acid, ACS

Last updated : 03.27.2015