

# SAFETY DATA SHEET

**Creation Date** 27-January-2010 **Revision Date** 19-December-2025

**Revision Number** 13

This safety data sheet was created pursuant to the requirements of: Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR) - SOR 2022-272

1. Identification

Product Name Dichloromethane

Cat No.: AC326760000; AC326760010; AC326760025; AC326760100

**CAS-No** 75-09-2

Synonyms Dichloromethane; DCM

Recommended Use Laboratory chemicals.

Uses advised against . . .

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Fisher Scientific Acros Organics
112 Colonnade Road, One Reagent Lane
Ottawa, ON K2E 7L6, Fair Lawn, NJ 07410

Canada

Tel: 1-800-234-7437

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification This product is hazardous in accordance with the Canada Hazardous Products Act (HPA)

and Hazardous Products Regulation (HPR), as amended (SOR/2022-272)

Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 2CarcinogenicityCategory 1BSpecific target organ toxicity (single exposure)Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, Blood.

Label Elements

Revision Date 19-December-2025

#### **Dichloromethane**

### Signal Word

Danger

#### **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

May cause drowsiness and dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

### Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Contains a known or suspected endocrine disruptor

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Dichloromethane	75-09-2	>99.5

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

> headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular

system and the central nervous system

Treat symptomatically Notes to Physician

### Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

**Unsuitable Extinguishing Media** No information available

No information available **Flash Point** Method -No information available

556 °C / 1032.8 °F **Autoignition Temperature** 

**Explosion Limits** 

23 vol % Upper 13 vol % Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health	Flammability	Instability	Physical hazards
2	1	0	N/A

### Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid **Personal Precautions** 

breathing vapors or mists. Wear respiratory protection.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material.

Keep in suitable, closed containers for disposal. Ventilate the area. Up

#### 7. Handling and storage Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation. Reacts with aluminum and its alloys.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in

aluminum containers. Incompatible Materials. Strong oxidizing agents. Strong acids. Amines.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec
Dichloromethane	TWA: 50 ppm	TWA: 25 ppm	TWA: 50 ppm	TWA: 50 ppm
	TWA: 174 mg/m <sup>3</sup>			TWA: 174 mg/m <sup>3</sup>

Component	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Dichloromethane	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm

Component	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Dichloromethane	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 200 ppm
	STEL: 75 ppm		STEL: 63 ppm	TWA: 700 mg/m <sup>3</sup>
	STEL: 63 ppm		STEL: 75 ppm	TWA: 720 mg/m <sup>3</sup>
				STEL: 250 ppm
				STEL: 870 mg/m <sup>3</sup>
				STEL: 200 ppm
				STEL: 720 mg/m <sup>3</sup>

Component	ACGIH TLV	OSHA PEL	NIOSH
Dichloromethane	TWA: 50 ppm	(Vacated) TWA: 500 ppm	IDLH: 2300 ppm
75-09-2 ( >99.5 )		(Vacated) STEL: 2000 ppm	
		(Vacated) Ceiling: 1000 ppm	
		TWA: 25 ppm	
		STEL: 125 ppm	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Viton (R)	< 120 minutes	0.7 mm	As tested under EN374-3
Nitrile rubber	< 4 minutes	0.38 mm	Determination of Resistance to
			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Remarks

Method

Method - No information available

Appearance

**Physical State** Liquid Colorless Color Odor sweet

No information available **Odor Threshold** 

<u>Values</u> **Property** 

Melting Point/Range <del>-97 °C</del> / -142.6 °F **Softening Point** No data available **Boiling Point/Range** 39 °C / 102.2 °F

Flash Point No information available

Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 13 vol% Upper 22 vol%

556 °C / 1032.8 °F **Autoignition Temperature Decomposition Temperature** No data available

Not applicable Insoluble in water pН 0.42 mPas @ 25°C

**Viscosity Water Solubility** 20 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dichloromethane 1.25

350 mbar @ 20°C **Vapor Pressure** 

Density / Specific Gravity 1.33

**Bulk Density** Not applicable Liquid **Vapor Density** 2.93 (Air = 1.0)

**Particle characteristics** Not applicable (liquid)

Other Information

C H2 Cl2 Molecular Formula **Molecular Weight** 84.93

### 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions. Decomposes on exposure to light.

**Conditions to Avoid** Excess heat. Protect from direct sunlight.

**Incompatible Materials** Strong oxidizing agents, Strong acids, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** Forms a detonable mixture with nitric acid.

### 11. Toxicological information

### Information on expected route of exposure

Inhalation Avoid breathing vapors or mists. May be harmful if swallowed. Ingestion

Eyes Avoid contact with eyes. Irritating to eyes. Vapor may cause irritation.

Avoid contact with skin. May cause irritation. Prolonged skin contact may defat the skin and Skin

produce dermatitis.

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dichloromethane	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L ( Rat ) 6 h
			76000 mg/m³ ( Rat ) 4 h

**Toxicologically Synergistic** 

**Products** 

No information available

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Dichloromethane	75-09-2	Group 2A	Reasonably	A3	X	A3
		1	Anticipated			

IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

Revision Date 19-December-2025

#### **Dichloromethane**

A5 - Not Suspected as a Human Carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

Category 3 (h) STOT-single exposure;

Central nervous system (CNS). Results / Target organs

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Other Adverse Effects** Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

**Endocrine Disrupting Properties** Assess endocrine disrupting

properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## 12. Ecological information

**Ecotoxicity** 

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dichloromethane	EC50:>660 mg/L/96h	Pimephales promelas:	EC50: 1 mg/L/24 h	EC50: 140 mg/L/48h
	_	LC50:193 mg/L/96h	EC50: 2.88 mg/L/15 min	_

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow
Dichloromethane	1.25

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Dichloromethane - 75-09-2	U080	<u>-</u>

## 14. Transport information

DOT

#### Dichloromethane

**UN-No** UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1
Packing Group

<u>TDG</u>

**UN-No** UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1 Packing Group III

IATA

**UN-No** UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1 Packing Group III

IMDG/IMO

**UN-No** UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1 Packing Group III

## 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Dichloromethane	75-09-2	X	-	X	ACTIVE	200-838-9	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Dichloromethane	75-09-2	X	KE-23893	X	X	X	X	X	X

#### Legend:

X - Listed '-' - Not listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and its amendments and meets the requirements of the HPR (Paragraph 13(1)(a) of the revised Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Dichloromethane	Part 1, Group A Substance Part 4 Substance	Schedule I	

### Other International Regulations

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High

#### **Dichloromethane**

			Concern (SVHC)
Dichloromethane	<u>-</u>	Use restricted. See entry 59. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-

Restricted to industrial use and to approved professionals.

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dichloromethane	75-09-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dichloromethane	75-09-2	Not applicable	Not applicable	Not applicable	Anney I - Y45

14	Othor	information	_
10.	Other	ппонацог	-1

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

Creation Date27-January-2010Revision Date19-December-2025Print Date19-December-2025

**Revision Summary** This document has been updated to comply with the requirements of WHMIS 2015 which

includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR) to align with the Globally Harmonised System (GHS) (V7/8) for the

Classification and Labelling of Chemicals.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**