

# SAFETY DATA SHEET

Creation Date 10-December-2009

Revision Date 19-December-2025

Revision Number 6

This safety data sheet was created pursuant to the requirements of: Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR) - SOR 2022-272

## 1. Identification

**Product Name** Ammonium persulfate

**Cat No. :** AC401160000; AC401160020; AC401160050; AC401160100;  
AC401160250; AC401161000; AC401165000

**CAS-No** 7727-54-0  
**Synonyms** Ammonium peroxydisulfate; Peroxydisulfuric acid diammonium salt

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

##### **Manufacturer**

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

#### **WHMIS 2015 Classification**

This product is hazardous in accordance with the Canada Hazardous Products Act (HPA) and Hazardous Products Regulation (HPR), as amended (SOR/2022-272)

<b>Oxidizing solids</b>	Category 3
<b>Acute oral toxicity</b>	Category 4
<b>Skin Corrosion/Irritation</b>	Category 2
<b>Serious Eye Damage/Eye Irritation</b>	Category 2
<b>Respiratory Sensitization</b>	Category 1
<b>Skin Sensitization</b>	Category 1
<b>Specific target organ toxicity (single exposure)</b>	Category 3
Target Organs - Respiratory system.	

### Label Elements

**Signal Word**

Danger

**Hazard Statements**

May intensify fire; oxidizer

Harmful if swallowed

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep away from clothing and other combustible materials.

Take any precaution to avoid mixing with combustibles

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

**Response**

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Rinse mouth

If skin irritation or rash occurs: Get medical advice/attention

If eye irritation persists: Get medical advice/attention

If experiencing respiratory symptoms: Call a POISON CENTER/doctor

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Take off contaminated clothing and wash it before reuse

**Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Ammonium persulfate	7727-54-0	<=100

### 4. First-aid measures

<b>General Advice</b>	If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. SPEEDY ACTION IS CRITICAL, GET MEDICAL AID IMMEDIATELY. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
<b>Inhalation</b>	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Consult a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.
<b>Most important symptoms/effects</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. . Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Water spray.
<b>Unsuitable Extinguishing Media</b>	No information available
<b>Flash Point</b>	No information available
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Oxidizing Properties</b>	Oxidizer
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

### Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.).

### Hazardous Combustion Products

Nitrogen oxides (NOx). Sulfur oxides. Ammonia. Oxygen.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

<b>Health</b>	<b>Flammability</b>	<b>Instability</b>	<b>Physical hazards</b>
2	1	2	OX

## 6. Accidental release measures

<b>Personal Precautions</b>	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Environmental Precautions</b>	Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
<b>Methods for Containment and Clean Up</b>	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Keep combustibles (wood, paper, oil, etc) away from spilled material. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

## 7. Handling and storage

<b>Handling</b>	Wear personal protective equipment/face protection. Avoid dust formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from clothing and other combustible materials. Pay attention to flashback. No information available.
<b>Storage.</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers. Incompatible Materials. Reducing Agent. Metals. Peroxides. Strong oxidizing agents. Strong reducing agents. Combustible material. .

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec
Ammonium persulfate	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-

Component	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Ammonium persulfate		TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

Component	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Ammonium persulfate	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	

Component	ACGIH TLV	OSHA PEL	NIOSH
Ammonium persulfate 7727-54-0 ( ≤=100 )	TWA: 0.1 mg/m <sup>3</sup>		

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

<b><u>Engineering Measures</u></b>	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source
------------------------------------	--

### Personal protective equipment

<b>Eye Protection</b>	Goggles
<b>Hand Protection</b>	Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	

Nitrile rubber Neoprene PVC	recommendations	Splash protection only
-----------------------------------	-----------------	------------------------

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains.

### Hygiene Measures

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. Physical and chemical properties

### Appearance

<b>Physical State</b>	Powder Solid
<b>Color</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available

### Property

	<b>Values</b>	<b>Remarks</b>	<b>Method</b>
<b>Melting Point/Range</b>	120 °C / 248 °F		
<b>Softening Point</b>	No data available		
<b>Boiling Point/Range</b>	No information available		
<b>Flash Point</b>	No information available		
<b>Flammability (liquid)</b>	Not applicable		
<b>Flammability (solid,gas)</b>	No information available		
<b>Explosion Limits</b>	No data available		

**Method -** No information available  
Solid

<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	> 120°C
<b>pH</b>	3.2
<b>Viscosity</b>	Not applicable
<b>Water Solubility</b>	582 g/L (20°C), may decompose
<b>Solubility in other solvents</b>	No information available
<b>Partition Coefficient (n-octanol/water)</b>	
<b>Vapor Pressure</b>	negligible
<b>Density / Specific Gravity</b>	1.980
<b>Bulk Density</b>	900-1100 kg/m <sup>3</sup>
<b>Vapor Density</b>	Not applicable
<b>Particle characteristics</b>	No data available

100 g/L  
Solid

Solid

### Other Information

<b>Molecular Formula</b>	H8 N2 O8 S2
<b>Molecular Weight</b>	228.19
<b>Oxidizing Properties</b>	Oxidizer
<b>Evaporation Rate</b>	Not applicable - Solid

## 10. Stability and reactivity

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Oxidizer: Contact with combustible/organic material may cause fire. Moisture sensitive.
<b>Conditions to Avoid</b>	Avoid dust formation. Combustible material. Excess heat. Exposure to moisture. Incompatible products.
<b>Incompatible Materials</b>	Reducing Agent, Metals, Peroxides, Strong oxidizing agents, Strong reducing agents, Combustible material,
<b>Hazardous Decomposition Products</b>	Nitrogen oxides (NOx), Sulfur oxides, Ammonia, Oxygen
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

## 11. Toxicological information

### Information on expected route of exposure

<b>Inhalation</b>	Irritating to respiratory system. May cause allergic respiratory reaction. May be harmful if inhaled. May cause irritation of respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may cause irritation to mucous membranes.
<b>Eyes</b>	Irritating to eyes.
<b>Skin</b>	Irritating to skin. May be harmful in contact with skin. May produce an allergic reaction. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium persulfate	LD50 = 495 mg/kg ( Rat )	> 2000 mg/kg	LC50 > 2.95 mg/L ( Rat ) 4 h

<b>Toxicologically Synergistic Products</b>	No information available
<b>(b) skin corrosion/irritation;</b>	Category 2
<b>(c) serious eye damage/irritation;</b>	Category 2
<b>(d) respiratory or skin sensitization;</b>	
<b>Respiratory</b>	Category 1
<b>Skin</b>	Category 1
	May cause sensitization by skin contact
<b>(e) germ cell mutagenicity;</b>	Based on available data, the classification criteria are not met
<b>(f) carcinogenicity;</b>	Based on available data, the classification criteria are not met
	The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ammonium persulfate	7727-54-0	Not listed	Not listed	Not listed	Not listed	Not listed

**(g) reproductive toxicity;** Based on available data, the classification criteria are not met

**(h) STOT-single exposure;** Category 3

**Results / Target organs** Respiratory system.

**(i) STOT-repeated exposure;** Based on available data, the classification criteria are not met

**Target Organs** None known.

**(j) aspiration hazard;** Not applicable  
Solid

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Symptoms / effects, both acute and delayed** Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ammonium persulfate	Not listed	LC50: = 76.3 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 323 mg/L, 96h (Poecilia reticulata) LC50: = 103 mg/L, 96h static (Lepomis macrochirus)	Not listed	EC50: = 120 mg/L, 48h (Daphnia magna)

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

**UN-No** UN1444  
**Proper Shipping Name** AMMONIUM PERSULFATE  
**Hazard Class** 5.1  
**Packing Group** III

### TDG

**UN-No** UN1444  
**Proper Shipping Name** AMMONIUM PERSULFATE  
**Hazard Class** 5.1  
**Packing Group** III

**IATA**

**UN-No** UN1444  
**Proper Shipping Name** AMMONIUM PERSULPHATE  
**Hazard Class** 5.1  
**Packing Group** III

**IMDG/IMO**

**UN-No** UN1444  
**Proper Shipping Name** AMMONIUM PERSULPHATE  
**Hazard Class** 5.1  
**Packing Group** III

## 15. Regulatory information

**International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Ammonium persulfate	7727-54-0	X	-	X	ACTIVE	231-786-5	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Ammonium persulfate	7727-54-0	X	KE-09815	X	X	X	X	X	X

**Legend:**

X - Listed '-' - Not listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**IECSC** - Chinese Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**ENCS** - Japanese Existing and New Chemical Substances**AICS** - Australian Inventory of Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**Canada**

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and its amendments and meets the requirements of the HPR (Paragraph 13(1)(a) of the revised Hazardous Products Act (HPA)).

**Other International Regulations****Authorisation/Restrictions according to EU REACH**

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ammonium persulfate	-	Use restricted. See entry 75. (see link for restriction details)	-

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ammonium persulfate	7727-54-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ammonium persulfate	7727-54-0	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

<b>Prepared By</b>	Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com
<b>Creation Date</b>	10-December-2009
<b>Revision Date</b>	19-December-2025
<b>Print Date</b>	19-December-2025
<b>Revision Summary</b>	This document has been updated to comply with the requirements of WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR) to align with the Globally Harmonised System (GHS) (V7/8) for the Classification and Labelling of Chemicals.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**