

## SAFETY DATA SHEET

Creation Date 21-September-2009

Revision Date 24-December-2021

Revision Number 5

### 1. Identification

**Product Name** Cerium(III) nitrate hexahydrate

**Cat No. :** AC218690000; AC218690025; AC218691000; AC218695000

**CAS-No** 10294-41-4

**Synonyms** Cerous nitrate hexahydrate; Cerium nitrate hexahydrate; Cerium trinitrate hexahydrate

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Manufacturer**  
Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

<b>Oxidizing solids</b>	Category 2
<b>Skin Corrosion/Irritation</b>	Category 2
<b>Serious Eye Damage/Eye Irritation</b>	Category 1
<b>Carcinogenicity</b>	Category 1B

#### Label Elements

**Signal Word**  
Danger

**Hazard Statements**  
May intensify fire; oxidizer  
Causes skin irritation  
Causes serious eye damage

May cause cancer



### Precautionary Statements

#### Prevention

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Keep/Store away from clothing/combustible materials  
 Take any precaution to avoid mixing with combustibles  
 Wash face, hands and any exposed skin thoroughly after handling  
 Use only outdoors or in a well-ventilated area  
 Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF ON SKIN: Wash with plenty of soap and water  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER/doctor  
 Take off contaminated clothing  
 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion  
 Explosion risk in case of fire

#### Storage

Store in a well-ventilated place. Keep cool  
 Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Very toxic to aquatic life with long lasting effects

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	>95
Cerium nitrate	10108-73-3	-

## 4. First-aid measures

<b>General Advice</b>	If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.

**Most important symptoms/effects** None reasonably foreseeable. Causes eye burns.  
**Notes to Physician** Treat symptomatically

## 5. Fire-fighting measures

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available  
**Method -** No information available

**Autoignition Temperature** No information available  
**Explosion Limits**

**Upper** No data available

**Lower** No data available

**Oxidizing Properties** Oxidizer

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

### Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

### Hazardous Combustion Products

Nitrogen oxides (NOx). Heavy metal oxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

**Health**  
3

**Flammability**  
0

**Instability**  
0

**Physical hazards**  
OX

## 6. Accidental release measures

**Personal Precautions** Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

**Methods for Containment and Clean Up** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

## 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong reducing agents. Cyanides. Combustible material.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Goggles

**Hand Protection**

Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

<b>Physical State</b>	Solid
<b>Appearance</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH</b>	Not applicable
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No information available
<b>Flash Point</b>	No information available
<b>Evaporation Rate</b>	Not applicable
<b>Flammability (solid,gas)</b>	No information available
<b>Flammability or explosive limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Vapor Pressure</b>	No information available
<b>Vapor Density</b>	Not applicable

<b>Specific Gravity</b>	No information available
<b>Solubility</b>	Soluble in water
<b>Partition coefficient; n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No information available
<b>Decomposition Temperature</b>	> 200°C
<b>Viscosity</b>	Not applicable
<b>Molecular Formula</b>	Ce N3 O9 . 6 H2 O
<b>Molecular Weight</b>	434.22

## 10. Stability and reactivity

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Oxidizer: Contact with combustible/organic material may cause fire. Stable under recommended storage conditions.
<b>Conditions to Avoid</b>	Excess heat. Incompatible products. Avoid dust formation. Combustible material.
<b>Incompatible Materials</b>	Strong oxidizing agents, Strong acids, Strong reducing agents, Cyanides, Combustible material
<b>Hazardous Decomposition Products</b>	Nitrogen oxides (NOx), Heavy metal oxides
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

## 11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitric acid, cerium(3+) salt, hexahydrate	LD50 = 4200 mg/kg ( Rat )	Not listed	Not listed
Cerium nitrate	LD50 = 3154 mg/kg ( Rat )	LD50 > 2000 mg/kg ( Rat )	Not listed

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** Irritating to skin CAUSES (SEVERE) EYE BURNS

**Sensitization** No information available

**Carcinogenicity** May cause cancer.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	Not listed	Not listed	Not listed	Not listed	Not listed
Cerium nitrate	10108-73-3	Not listed	Not listed	Not listed	Not listed	Not listed

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** None known

<b>STOT - repeated exposure</b>	None known
<b>Aspiration hazard</b>	No information available
<b>Symptoms / effects, both acute and delayed</b>	No information available
<b>Endocrine Disruptor Information</b>	No information available
<b>Other Adverse Effects</b>	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

## 12. Ecological information

### Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cerium nitrate	Not listed	LC50: = 0.3 mg/L, 96h semi-static (Oncorhynchus mykiss)	EC50 = 7.3 mg/L 16 h	EC50: > 100 mg/L, 48h (Daphnia magna)

**Persistence and Degradability** based on information available. May persist

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

**UN-No** UN1477  
**Proper Shipping Name** NITRATES, INORGANIC, N.O.S.  
**Technical Name** Nitric acid, cerium(3+) salt, hexahydrate  
**Hazard Class** 5.1  
**Packing Group** III

### TDG

**UN-No** UN1477  
**Proper Shipping Name** NITRATES, INORGANIC, N.O.S.  
**Hazard Class** 5.1  
**Packing Group** III

### IATA

**UN-No** UN1477  
**Proper Shipping Name** NITRATES, INORGANIC, N.O.S.  
**Hazard Class** 5.1  
**Packing Group** III

### IMDG/IMO

**UN-No** UN1477  
**Proper Shipping Name** NITRATES, INORGANIC, N.O.S.  
**Hazard Class** 5.1  
**Packing Group** III

## 15. Regulatory information

## International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	-	-	-	-	-	-	-
Cerium nitrate	10108-73-3	X	-	X	ACTIVE	233-297-2	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	X	-	X	X	X	X	X	-
Cerium nitrate	10108-73-3	X	KE-05423	X	X	X	X	X	X

## Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

## Other International Regulations

## Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	Not applicable	Not applicable	Not applicable	Not applicable
Cerium nitrate	10108-73-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nitric acid, cerium(3+) salt, hexahydrate	10294-41-4	Not applicable	Not applicable	Not applicable	Not applicable
Cerium nitrate	10108-73-3	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

## Prepared By

Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

## Creation Date

21-September-2009

<b>Revision Date</b>	24-December-2021
<b>Print Date</b>	24-December-2021
<b>Revision Summary</b>	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**