

SAFETY DATA SHEET

Creation Date 05-May-2009 Revision Date 23-January-2018 Revision Number 3

1. Identification

Product Name 1,4-Dioxane

Cat No.: AC615120000; AC615120010; AC615121000

CAS-No 123-91-1 Synonyms Diox

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/DistributorManufacturerFisher ScientificAcros OrganicsFisher Scientific112 Colonnade Road,One Reagent LaneOne Reagent LaneOttawa, ON K2E 7L6,Fair Lawn, NJ 07410Fair Lawn, NJ 07410CanadaTel: (201) 796-7100

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 2
Serious Eye Damage/Eye Irritation Category 2

Carcinogenicity Category 1B Category 2

Specific target organ toxicity (single exposure)

Category 3
Target Organs - Respiratory system, Central nervous system (CNS), Eyes.

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Kidney, Liver.

Physical Hazards Not Otherwise Classified Category 1

May form explosive peroxides

Health Hazards Not Otherwise Classified

Category 1

Prolonged or repeated contact may dry skin and cause irritation or cracking

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor

Causes serious eye irritation

May cause respiratory irritation

May cause drowsiness and dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure

May form explosive peroxides

Prolonged or repeated contact may dry skin and cause irritation or cracking



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Keep container tightly closed

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1.4-Dioxane	123-91-1	>95

4. First-aid measures

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

> victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like Most important symptoms/effects

headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed **Suitable Extinguishing Media**

containers exposed to fire with water spray.

Unsuitable Extinguishing Media Water may be ineffective

12 °C / 53.6 °F **Flash Point**

Method -No information available

Autoignition Temperature 355 °C / 671 °F

Explosion Limits

Upper 22% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. May form explosive peroxides. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2) peroxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	1	N/A

6. Accidental release measures

Remove all sources of ignition. Use personal protective equipment. Take precautionary **Personal Precautions**

measures against static discharges. Do not get in eyes, on skin, or on clothing. Ensure

adequate ventilation. **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional ecological

information.

Up

Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. Use

spark-proof tools and explosion-proof equipment.

7. Handling and storage

Wear personal protective equipment, Ensure adequate ventilation, Handle under an inert Handling

atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Do not

breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. If peroxide formation is suspected, do not open or move container. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Wash hands before breaks and immediately after handling the product.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Flammables area. May form explosive peroxides. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat and sources of ignition.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,4-Dioxane	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	(Vacated) TWA:	IDLH: 500 ppm
	TWA: 72 mg/m ³	Skin	Skin	TWA: 72 mg/m ³	Skin	25 ppm	Ceiling: 1 ppm
	Skin			Skin		(Vacated) TWA:	Ceiling: 3.6
						90 mg/m ³	mg/m³
						Skin	_
						TWA: 100 ppm	
						TWA: 360	
						mg/m³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Tightly fitting safety goggles Goggles Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	> 480 minutes	0.7 mm	As tested under EN374-3
Viton (R)	> 480 minutes	0.7 mm	Determination of Resistance to
			Permeation by Chemicals
			Permeation rate 38 µg/cm2/min

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

Physical State Liquid Appearance Colorless

OdorPetroleum distillatesOdor ThresholdNo information availablepH6-8500 g/l aq.sol

 Melting Point/Range
 12 °C / 53.6 °F

 Boiling Point/Range
 101 °C / 213.8 °F @ 760 mmHg

Flash Point 12 °C / 53.6 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 22% Lower 2%

Vapor Pressure 41 mbar @ 20 °C

Vapor Density3Specific Gravity1.034

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature355 °C / 671 °FDecomposition TemperatureNo information availableViscosity1.32 mPa.s @ 20 °C

Molecular FormulaC4 H8 O2Molecular Weight88.11

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability May form explosive peroxides. Hygroscopic.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Exposure to air or moisture over prolonged

periods. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Reducing agents, Halogens

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), peroxides

Hazardous PolymerizationHazardous polymerization does not occur.

Hazardous Reactions May form explosive peroxides.

11. Toxicological information

Acute Toxicity

Product Information Component Information

1,4-Dioxane

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,4-Dioxane	5170 mg/kg (Rat)	LD50 = 7600 mg/kg (Rabbit)	48.5 mg/L (Rat) 4 h
	4200 mg/kg (Rat)		

Toxicologically Synergistic

Products

Acetonitrile; Tetrachloroethylene

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1,4-Dioxane	123-91-1	Group 2B	Reasonably Anticipated	A3	Х	Not listed

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS) Eyes

STOT - repeated exposure Kidney Liver

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,4-Dioxane	Not listed	LC50: = 9850 mg/L, 96h	EC50 = 610 mg/L 5 min	EC50 = 163 mg/L 48h
		(Pimephales promelas)	EC50 = 668 mg/L 15 min	_
		LC50: 10306 - 14742 mg/L,	EC50 = 733 mg/L 30 min	
		96h static (Pimephales		
		promelas)		
		LC50: = 9850 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: > 10000 mg/L, 96h		
		semi-static (Lepomis		

macrochirus) LC50: > 10000 mg/L, 9 static (Lepomis macroch	
--	--

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
1,4-Dioxane	-0.42

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
1,4-Dioxane - 123-91-1	U108	-

14. Transport information

DOT

UN-No UN1165 Proper Shipping Name DIOXANE

Hazard Class 3
Packing Group ||

TDG

UN-No UN1165

Proper Shipping Name DIOXANE

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN1165
Proper Shipping Name DIOXANE

Hazard Class 3
Packing Group II

IMDG/IMO

UN-No UN1165
Proper Shipping Name DIOXANE
Hazard Class 3

Hazard Class 3
Packing Group ||

15. Regulatory information

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
1,4-Dioxane	Χ	-	Χ	204-661-8	-		Χ	Χ	Х	Х	X

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
1,4-Dioxane	Part 1, Group A Substance		Subject to Monitoring and Surveillance Activities

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date05-May-2009Revision Date23-January-2018Print Date23-January-2018

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS