

## 1 Identification

- **Product identifier**
- **Trade name:** Butylated Hydroxytoluene
- **Article number:** 101162
- **CAS Number:**  
128-37-0
- **EC number:**  
204-881-4
- **Molecular Formula**  $C_{15}H_{24}O$
- **Molecular Weight** 220.36 g/mol
- **Application of the substance / the mixture** Research use only.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MP Biomedicals, LLC  
29525 Fountain Parkway  
Solon, OH 44139  
United States  
www.mpbio.com
- **Information department:** Product safety department
- **Emergency telephone number:** CHEMTREC: 1-800-424-9300 (1-703-527-3887)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard statements**

Harmful if swallowed.

- **Precautionary statements**

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Butylated Hydroxytoluene**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
128-37-0 Butylated Hydroxytoluene
- **Identification number(s)**
- **EC number:** 204-881-4

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

CA

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: *Butylated Hydroxytoluene*

(Contd. of page 2)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** 15 - 30 °C
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 128-37-0 Butylated Hydroxytoluene

EL	Long-term value: 2 mg/m <sup>3</sup> vapour and inhalable aerosol
EV	Long-term value: 2 mg/m <sup>3</sup> inhalable, vapour and aerosol

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Crystalline powder
- **Color:** White
- **Odor:** Indeterminate
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.

(Contd. on page 4)

CA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: *Butylated Hydroxytoluene*

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	68-74 °C
Boiling point/Boiling range:	265 °C
· <b>Flash point:</b>	127 °C
· <b>Flammability (solid, gaseous):</b>	Product is not flammable.
· <b>Ignition temperature:</b>	470 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Not determined.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Vapor pressure at 20 °C:</b>	0.02 hPa
· <b>Density at 20 °C:</b>	1.03 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with</b>	-
· <b>Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	650 mg/kg (mouse)
		890 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

CA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: *Butylated Hydroxytoluene*

(Contd. of page 4)

· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**128-37-0 | *Butylated Hydroxytoluene*

3

· **NTP (National Toxicology Program)** Substance is not listed.· **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, TDG, IMDG, IATA**

UN3077

· **UN proper shipping name**· **DOT**Environmentally hazardous substances, solid, n.o.s. (*Butylated Hydroxytoluene*)· **TDG**3077 Environmentally hazardous substances, solid, n.o.s. (*Butylated Hydroxytoluene*)· **IMDG**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (*Butylated Hydroxytoluene*)· **IATA**Environmentally hazardous substance, solid, n.o.s. (*Butylated Hydroxytoluene*)

(Contd. on page 6)

CA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015


Reviewed on 12/10/2015

Trade name: *Butylated Hydroxytoluene*

(Contd. of page 5)

· **Transport hazard class(es)**


· **DOT, IMDG**



· **Class** 9 Miscellaneous dangerous substances and articles

· **Label** 9

· **TDG, IATA**



· **Class** 9 Miscellaneous dangerous substances and articles

· **Label** 9

· **Packing group**

· **DOT, TDG, IMDG, IATA** III

· **Environmental hazards:**

· **Special marking (TDG):** Symbol (fish and tree)

· **Special marking (IATA):** Symbol (fish and tree)

· **Special precautions for user**

Warning: Miscellaneous dangerous substances and articles

· **EMS Number:** F-A,S-F

· **Stowage Category** A

· **Stowage Code** SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: No limit  
On cargo aircraft only: No limit

· **TDG**

· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 g  
Maximum net quantity per outer packaging: 1000 g

· **IMDG**

· **Limited quantities (LQ)** 5 kg

· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 g  
Maximum net quantity per outer packaging: 1000 g

· **UN "Model Regulation":**

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (BUTYLATED HYDROXYTOLUENE), 9, III

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):** Substance is not listed.

· **Section 313 (Specific toxic chemical listings):** Substance is not listed.

· **TSCA (Toxic Substances Control Act):** Substance is listed.

(Contd. on page 7)

CA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

**Trade name: Butylated Hydroxytoluene**

(Contd. of page 6)

- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

128-37-0 Butylated Hydroxytoluene	A4
-----------------------------------	----

- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **Canadian substance listings:**
- **Canadian Domestic Substances List (DSL)** Substance is listed.
- **Canadian Ingredient Disclosure list (limit 0.1%)** Substance is not listed.
- **Canadian Ingredient Disclosure list (limit 1%)** Substance is listed.
- **GHS label elements**
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
- Harmful if swallowed.
- **Precautionary statements**
- Wash thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- Rinse mouth.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Product safety department
- **Date of preparation / last revision** 12/10/2015 / -
- **Abbreviations and acronyms:**
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- Acute Toxicity (Oral) - Category 4: Acute toxicity, Hazard Category 4

CA