



SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Revision Date 01/26/2015

Version 1.4

SECTION 1. Identification

Product identifier

Product number 105428
Product name Ammonia solution 25 % Suprapur®

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis, Chemical production

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,
United States of America | General Inquiries: +1-978-715-4321 |
Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)
+1-703-527-3887 CHEMTREC (International)
24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290
Skin corrosion, Category 1B, H314
Specific target organ systemic toxicity - single exposure, Category 3, H335
Acute aquatic toxicity, Category 1, H400
For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number 105428
Product name Ammonia solution 25 % Suprapur®

Version 1.4

Precautionary Statements

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous ammoniacal solution.

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

ammonia solution (>= 10 % - < 30 %)

1336-21-6

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, bronchitis, Cough, Shortness of breath, gastric pain, Unconsciousness, Bloody vomiting, Nausea, collapse, shock
Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® OH⁻, Art. No. 101596). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

Store at +2°C to +25°C (+36°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>ammonia solution 1336-21-6</i>			
CAD BC OEL	Short Term Exposure Limit (STEL):	35 ppm	
	Time Weighted Average (TWA):	25 ppm	
CAD MB OEL	Time Weighted Average (TWA):	25 ppm	
	Short Term Exposure Limit (STEL):	35 ppm	
CAD ON OEL	Time Weighted Average (TWAEV):	25 ppm	
	Short Term Exposure Limit (STEV):	35 ppm	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state

liquid

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number	105428	Version 1.4
Product name	Ammonia solution 25 % Suprapur®	

Color	colorless
Odor	stinging
Odor Threshold	0.02 - 70.7 ppm Ammonia
pH	at 68 °F (20 °C) strongly alkaline
Melting point	-57.5 °C
Boiling point/boiling range	99.9 °F (37.7 °C)
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	Not applicable
Lower explosion limit	15.4 %(V)
Upper explosion limit	33.6 %(V)
Vapor pressure	483 hPa at 68 °F (20 °C)
Relative vapor density	No information available.
Density	0.903 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	log Pow: -1.38 (experimental) (anhydrous substance) (Lit.) Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number	105428	Version 1.4
Product name	Ammonia solution 25 % Suprapur®	

Minimum ignition energy	380 - 680 mJ
Corrosion	May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents, Phosgene, Oxides of phosphorus, Mercury, acids, Nitric acid, Oxygen, sulfur dioxide, hydrogen sulfide, silver compounds, nitrogen oxides, nitrogen trichloride, hydrogen peroxide, silver, Lead, Zinc, Heavy metals, Heavy metal salts, strong alkalis, Acrolein, antimony hydride, Boron, hydrogen bromide, chlorates, Hydrogen chloride gas, chromium(VI) oxide, chromyl chloride, dimethylsulfate, Ethylene oxide, Hydrogen fluoride, halogens, halogen-halogen compounds, halogen oxides, carbon dioxide, Acids

Conditions to avoid

Heating.

Incompatible materials

Aluminum, Lead, Copper, various metals, metal alloys, Nickel, silver, Zinc

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Acute oral toxicity

LDLO human: 43 mg/kg (29% solution) (RTECS)

Symptoms: gastric pain, Bloody vomiting, If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Skin irritation

Rabbit

Result: Severe irritations
(29% solution) (RTECS)

Dermatitis Necrosis

Mixture causes burns.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

Eye irritation

Rabbit

Result: Severe irritations
(29% solution) (RTECS)

Mixture causes serious eye damage. Risk of blindness!

Sensitization

Sensitization test: Guinea pig

Result: negative
(anhydrous substance) (IUCLID)

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative
(anhydrous substance) (IUCLID)

Ames test

Escherichia coli

Result: negative
(anhydrous substance) (IUCLID)

Specific target organ systemic toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Systemic effects:

Nausea, collapse, shock, Shortness of breath, Unconsciousness

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

Ingredients

ammonia solution

No information available.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 *Oncorhynchus mykiss* (rainbow trout): 0.53 mg/l; 96 h (anhydrous substance) (Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC50 *Daphnia magna* (Water flea): 24 mg/l; 48 h (anhydrous substance) (Lit.)

Toxicity to bacteria

EC50 *Photobacterium phosphoreum*: 2 mg/l; 5 min (anhydrous substance) (Lit.)

Persistence and degradability

Biodegradability

Not readily biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1.38

(experimental)

(anhydrous substance) (Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift.

Forms toxic mixtures in water, dilution measures notwithstanding.

Further information on ecology

Discharge into the environment must be avoided.

Ingredients

ammonia solution

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 2672
Proper shipping name	AMMONIA SOLUTION
Class	8
Packing group	III
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 2672
Proper shipping name	AMMONIA SOLUTION
Class	8
Packing group	III
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 2672
Proper shipping name	AMMONIA SOLUTION
Class	8
Packing group	III
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-B

SECTION 15. Regulatory information

United States of America

Canada

WHMIS Classification

D2B Toxic Material Causing Other Toxic Effects

E Corrosive Material

Respiratory irritant, Corrosive to eyes, Corrosive to skin, Corrosive to metals

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number
Product name

105428
Ammonia solution 25 % Suprapur®

Version 1.4

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.
DSL: All components of this product are on the Canadian DSL.
KOREA: Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

Precautionary Statements

Prevention

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the CPR)

Product number

105428

Version 1.4

Product name

Ammonia solution 25 % Suprapur®

Revision Date 01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.