

## SAFETY DATA SHEET

Creation Date 02-November-2009

Revision Date 25-November-2022

Revision Number 7

### 1. Identification

**Product Name** Formic acid

**Cat No. :** AC147930000; AC147930010; AC147930025; AC147930100;  
AC147930250; AC147932500

**CAS-No** 64-18-6  
**Synonyms** Methanoic acid

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Manufacturer**  
Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

##### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

<b>Flammable liquids</b>	Category 3
<b>Acute oral toxicity</b>	Category 4
<b>Acute Inhalation Toxicity</b>	Category 3
<b>Skin Corrosion/Irritation</b>	Category 1 A
<b>Serious Eye Damage/Eye Irritation</b>	Category 1
<b>Health Hazards Not Otherwise Classified</b>	Category 1
Corrosive to the respiratory tract	

#### Label Elements

**Signal Word**  
Danger

**Hazard Statements**

Flammable liquid and vapor

Harmful if swallowed

Toxic if inhaled

Causes severe skin burns and eye damage

Corrosive to the respiratory tract

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

**Response**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Formic acid	64-18-6	>95

### 4. First-aid measures

**General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

<b>Eye Contact</b>	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Inhalation</b>	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Most important symptoms/effects</b>	Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
<b>Unsuitable Extinguishing Media</b>	No information available
<b>Flash Point</b>	50 °C / 122 °F
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	520 °C / 968 °F
<b>Explosion Limits</b>	
<b>Upper</b>	45 vol %
<b>Lower</b>	10 vol %
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Strong reducing agent. Fire and explosion risk in contact with oxidizing agents.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen. Thermal decomposition can lead to release of irritating gases and vapors.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
2

**Instability**  
1

**Physical hazards**  
N/A

## 6. Accidental release measures

<b>Personal Precautions</b>	Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
<b>Environmental Precautions</b>	Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

**Handling** Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Containers should be vented periodically in order to overcome pressure buildup. Store in explosion-proof refrigerator. Flammables area. Incompatible Materials. Strong oxidizing agents. Metals. Finely powdered metals. Strong bases.

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Formic acid	TWA: 5 ppm TWA: 9.4 mg/m <sup>3</sup> STEL: 10 ppm STEL: 19 mg/m <sup>3</sup>	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm TWA: 9.4 mg/m <sup>3</sup> STEL: 10 ppm STEL: 19 mg/m <sup>3</sup>	TWA: 5 ppm STEL: 10 ppm	(Vacated) TWA: 5 ppm (Vacated) TWA: 9 mg/m <sup>3</sup> TWA: 5 ppm TWA: 9 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 5 ppm TWA: 9 mg/m <sup>3</sup>

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - NIOSH - National Institute for Occupational Safety and Health

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Face protection shield or Goggles

#### Hand Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Neoprene	> 480 minutes	0.5 mm	As tested under EN374-3
Butyl rubber	> 480 minutes	0.7 mm	Determination of Resistance to Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the

OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
**Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	Colorless
<b>Odor</b>	pungent
<b>Odor Threshold</b>	No information available
<b>pH</b>	2.1 10 g/L aq.sol
<b>Melting Point/Range</b>	8 °C / 46.4 °F
<b>Boiling Point/Range</b>	101 °C / 213.8 °F @ 760 mmHg
<b>Flash Point</b>	50 °C / 122 °F
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid,gas)</b>	Not applicable
<b>Flammability or explosive limits</b>	
<b>Upper</b>	45 vol %
<b>Lower</b>	10 vol %
<b>Vapor Pressure</b>	44 mbar @ 20 °C
<b>Vapor Density</b>	No information available
<b>Specific Gravity</b>	1.220
<b>Solubility</b>	miscible
<b>Partition coefficient; n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	520 °C / 968 °F
<b>Decomposition Temperature</b>	No information available
<b>Viscosity</b>	1.47 mPa.s @ 20 °C
<b>Molecular Formula</b>	C H2 O2
<b>Molecular Weight</b>	46.02

## 10. Stability and reactivity

<b>Reactive Hazard</b>	None known, based on information available
<b>Stability</b>	Strong reducing agent. Fire and explosion risk in contact with oxidizing agents. Hygroscopic. heat sensitive. Decomposes to water and carbon dioxide.
<b>Conditions to Avoid</b>	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.
<b>Incompatible Materials</b>	Strong oxidizing agents, Metals, Finely powdered metals, Strong bases
<b>Hazardous Decomposition Products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

## 11. Toxicological information

**Acute Toxicity****Product Information****Oral LD50**

Category 4.

**Dermal LD50**

Based on ATE data, the classification criteria are not met.

**Vapor LC50**

Category 3.

**Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formic acid	730 mg/kg ( Rat )	Not listed	15 g/m <sup>3</sup> ( Rat ) 15 min

**Toxicologically Synergistic Products** No information available**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Irritation**

Causes severe burns by all exposure routes Irritating to respiratory system

**Sensitization**

No information available

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Formic acid	64-18-6	Not listed	Not listed	Not listed	Not listed	Not listed

**Mutagenic Effects** No information available**Reproductive Effects** No information available.**Developmental Effects** No information available.**Teratogenicity** No information available.**STOT - single exposure** None known**STOT - repeated exposure** None known**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Formic acid	Applicable	Not applicable	Not applicable

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity**

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Formic acid	EC50 = 25 mg/L/96h	Leuciscus idus: LC50 = 46-100 mg/L/96h	EC50 = 46.7 mg/L/17h	EC50 = 34 mg/L/48h

**Persistence and Degradability** Miscible with water Persistence is unlikely based on information available.**Bioaccumulation/ Accumulation** No information available.**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow

Formic acid	-0.54
-------------	-------

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Formic acid - 64-18-6	U123	-

### 14. Transport information

#### DOT

UN-No UN1779  
 Proper Shipping Name FORMIC ACID  
 Hazard Class 8  
 Subsidiary Hazard Class 3  
 Packing Group II

#### TDG

UN-No UN1779  
 Proper Shipping Name FORMIC ACID  
 Hazard Class 8  
 Subsidiary Hazard Class 3  
 Packing Group II

#### IATA

UN-No UN1779  
 Proper Shipping Name FORMIC ACID  
 Hazard Class 8  
 Subsidiary Hazard Class 3  
 Packing Group II

#### IMDG/IMO

UN-No UN1779  
 Proper Shipping Name FORMIC ACID  
 Hazard Class 8  
 Subsidiary Hazard Class 3  
 Packing Group II

### 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Formic acid	64-18-6	X	-	X	ACTIVE	200-579-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Formic acid	64-18-6	X	X	X	X	X	X	X	X

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Formic acid	Part 1, Group A Substance Part 4 Substance		

#### Other International Regulations

##### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Formic acid	-	Use restricted. See item 75. (see link for restriction details)	-

<https://echa.europa.eu/substances-restricted-under-reach>

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Formic acid	64-18-6	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Formic acid	64-18-6	Not applicable	Not applicable	Not applicable	Annex I - Y34

## 16. Other information

**Prepared By** Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

**Creation Date** 02-November-2009

**Revision Date** 25-November-2022

**Print Date** 25-November-2022

**Revision Summary** This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**